

TYP. ENTRANCE / EXIT DOOR N.T.S. **17**



NOTE:
1. EXTERIOR DOOR PRESSURE CANNOT EXCEED 8.5 LBS (GC TO DOOR PRESSURE TO MINIMUM ALLOWABLE BY AHJ).
2. INTERIOR DOOR PRESSURE CANNOT EXCEED 5 LBS.
3. 60% OF PUBLIC ENTRANCES MUST BE ACCESSIBLE (100% IN CA)

EXTERIOR DOOR REQUIREMENTS 3/8" = 1'-0" **13**



TRUNCATED DOMES 3/8" = 1'-0" **18**



BOTTOM RAIL (EXTERIROR DOOR) 3" = 1'-0" **14**



EXTERIOR PATH OF TRAVEL 1/16" = 1'-0" **2**



RAMPS N.T.S. **16**



VAN ACCESSIBLE PARKING STALL N.T.S. **11**



ACCESSIBLE PARKING SIGN N.T.S. **12**



CURB RAMPS N.T.S. **3**



CURB RAMPS-1 N.T.S. **4**

GLMV Architecture
1525 E. Douglas Wichita, KS 67211
Tel: (316) 265.5367 Fax: (316) 2265.5648
www.glmv.com

Digitally signed by Mark D. McCluggage
DN: E=mmccluggage@glmv.com, CN=Mark D. McCluggage, L=Wichita, S=Kansas, C=US
Date: 2020.10.06 14:09:30-05'00'

18048.20003

CONTRACT DATE:
BUILDING TYPE: END. MED40
PLAN VERSION: MARCH 2020
SITE NUMBER: 314443
STORE NUMBER: #000000

TACO BELL

615 METROPOLITAN AVE
LEAVENWORTH, KS 66048

ENDEAVOR 1.0
ACCESSIBILITY REQUIREMENTS

ADA1.1

PLOT DATE: 10/5/2020 4:31:57 PM

BIM 360://18048.20003_TacoBell_Leavenworth/18048.20003_A_TACO BELL-LEAVENWORTH_V19.rvt