

Luminaire Schedule									
Symbol	Qty	Label	Description	LLF					
	15	L02	GM2-120-LM-30-SBS	0.900					
igoplus	55	L2-R	RDA-136LM-30-FL-S	0.900					
igoplus	7	L4	RDA-60LM-30-NF	0.900					

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
CREW_Workplane	Illuminance	FC	28.07	41.2	10.3	2.73	4.00
DINING_Workplane	Illuminance	FC	44.66	99.5	11.4	3.92	8.73
MENS_Workplane	Illuminance	FC	47.26	82.7	17.7	2.67	4.67
WOMENS_Workplane	Illuminance	Fc	40.98	75.7	12.8	3.20	5.91

NOTE: FOOTCANDLE LEVELS SHOWN ON PLAN REFLECT ILLUMINATION FROM AMBIENT CEILING FIXTURES ONLY. CONTRIBUTION FROM DECORATIVE PENDANTS, CHANDELIERS, WALL SCONCES, OR TRACK LIGHTING NOT SHOWN.

NOTE: PENDANT LOCATIONS SHOWN ON PLAN ARE LOCATED BY SEATING AND DECOR COMPANY AND ARE SUBJECT TO CHANGE BASED ON FINAL SEATING LAYOUT. SPECIFIC DECORATIVE FIXTURE SELECTION BY SEATING AND DECOR COMPANY OR OWNER/OPERATOR.

NOTE: FIXTURE QUANTITIES AND LOCATIONS MAY VARY DEPENDING UPON FINAL REFLECTED CEILING PLAN/FURNITURE LAYOUT AS DETERMINED BY OTHERS.

REFERENCE DECOR DRAWINGS FOR LO4 DIRECTIONAL PLACEMENT



1/4" = 1' 0"DRAWN BY VS

POINT-BY-POINT FOOTCANDLE PLOT FOR

MCDONALDS 205 BUSINESS LOOP COLUMBIA, MO

NATIONAL STORE NUMBER

CONDITIONS. OPERATING VOLTAGE AND NORMAL MANUFACTURING TOLERANCES OF LAMP, BALLAST, AND LUMINAIRE MAY AFFECT FIELD RESULTS. 2. CONFORMANCE TO FACILITY CODE AND OTHER LOCAL REQUIREMENTS IS THE RESPONSIBILITY OF THE OWNER AND/OR THE OWNER'S REPRESENTATIVE. 3. THIS LAYOUT MAY NOT MEET TITLE 24 OR LOCAL ENERGY REQUIREMENTS. IF THIS LAYOUT NEEDS TO E COMPLIANT WITH TITLE 24 OR OTHER ENERGY

1 LUMINAIRE DATA IS TESTED TO INDUSTRY STANDARDS UNDER LABORATORY

REQUIREMENTS, PLEASE CONSULT FACTORY WITH SPECIFIC DETAILS
REGARDING PROJECT REQUIREMENTS SO THAT REVISIONS MAY BE MADE TO THE DRAWING 4/20/202 48614